Kingbright

Part Number: RTC-32

Features

● Suitable for back panel illumination, circuit
  board indicator, LED indicator.
● UL rating : 94V-0.
● Housing material: type 66 nylon.
● Recommended hole size: Φ4.3mm.
● RoHS compliant.

Package Dimensions

ø3(.118)

5.3(.209)

0.4(.016)

ø4.7(.185)

ø5.3(.209)

LOCK

3.6(.142)

ø4.6(.181)

ø6.2(.244)

Notes:
1. All dimensions are in millimeters (inches).
2. Tolerance is ±0.25(0.01") unless otherwise noted.
3. Specifications are subject to change without notice.

Kingbright

PACKING & LABEL SPECIFICATIONS **RTC-32**

LABEL

1000PCS / BAG

OUTSIDE LABEL

48K / 9# BOX

OUTSIDE LABEL

24K / 5# BOX

Kingbright

P/NO: RTC-32

QTY: 1000 pcs   Q.C.

S/N: XXXX

CODE: XXX

LOT NO:

Q C
XX XX XXXX
PASSED

xxxxxxxxxxxxxxxxxxxxxxxx

RoHS Compliant

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Kingbright](#):
  [RTC32](#)